

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S38 | 2795 | 714/4,15,23,24.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 10:59 |
| S39 | 3433 | 713/1,2,100.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 10:59 |
| S40 | 4078 | 709/227,228.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 10:59 |
| S41 | 19 | (determin\$4 with server same (fail\$over take\$over back\$up spare\$2 fail\$back redundant switch\$over) same (re\$boot re\$start re\$initializ\$5 cycl\$4)) and mode | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 11:02 |
| S42 | 42 | (determin\$4 with server same (fail\$over take\$over back\$up spare\$2 fail\$back redundant switch\$over) same (re\$boot re\$start re\$initializ\$5 cycl\$4)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 11:03 |
| S43 | 9 | (S38 S39 S40) and S42 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 11:02 |
| S44 | 418 | server same (fail\$over take\$over back\$up spare\$2 fail\$back redundant switch\$over) same (re\$boot re\$start re\$initializ\$5 cycl\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 11:13 |
| S45 | 56 | (S38 S39 S40) and S44 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 11:03 |
| S46 | 139 | (server same (fail\$over take\$over back\$up spare\$2 fail\$back redundant switch\$over) same (re\$boot re\$start re\$initializ\$5 cycl\$4)) and session\$1 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 11:14 |
| S47 | 418 | (server same (fail\$over take\$over back\$up spare\$2 fail\$back redundant switch\$over) same (re\$boot re\$start re\$initializ\$5 cycl\$4)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 11:15 |

| | | | | | | |
|-----|---------|---|---|----|-----|------------------|
| S48 | 88 | (server same (fail\$over take\$over back\$up spare\$2 fail\$back redundant switch\$over) same (re\$boot re\$start re\$initializ\$5 cycl\$4) same (mode\$8 flag\$1 bit variable\$1)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 11:18 |
| S49 | 2 | (S38 S39 S40) and S48 and session | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 11:18 |
| S50 | 20 | (S38 S39 S40) and S47 and session | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 12:35 |
| S51 | 3169 | 714/4,13,15,23,24.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 12:35 |
| S52 | 4078 | 709/227,228.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 12:36 |
| S53 | 18734 | (hard soft cold) with (fail\$6 boot\$) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 13:16 |
| S54 | 264 | (S51 S52) and S53 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 12:37 |
| S55 | 3731510 | (determin\$4 mode\$6 flag bit) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 12:38 |
| S56 | 256 | S54 and S55 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 12:38 |
| S57 | 3698 | S53 same S55 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 12:39 |
| S58 | 24816 | (back\$up re\$boot) same S55 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 12:40 |
| S59 | 780 | (back\$up re\$boot) same S53 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 12:40 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S60 | 51 | (S51 S52) and S59 and S55 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 12:41 |
| S61 | 45 | determin\$3 with (hard soft cold) with (fail\$6 boot\$) same (back\$up re\$boot\$3) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 13:35 |
| S62 | 3169 | 714/4,13,15,23,24.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 13:18 |
| S63 | 2 | S61 and S62 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 13:18 |
| S64 | 27 | determin\$3 with (hard soft cold) near2 (fail\$6 boot\$) same (back\$up re\$boot\$3) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 13:35 |
| S65 | 27 | determin\$3 with ((hard soft cold) near2 (fail\$6 boot\$)) same (back\$up re\$boot\$3) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 14:03 |
| S66 | 7 | determin\$3 with ((hard soft cold) near2 (fail\$6 boot\$)) same back\$up same re\$boot\$3 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/06 14:03 |
| S67 | 2 | ((("5720029") or ("5504883"))).PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/07 08:42 |
| S68 | 1 | "20020002448" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/01/09 11:28 |